



TECHNICAL DATA Decomur D

Description

Panel for interior decoration
For application in dry areas

Composition

MDF-E1
Finished with white primer

Size

Length 122 cm
Height 60 cm
Thickness 1.3cm

Properties

Formaldehyde release	4.3 mg/100 g dry materials
Board moisture content at dispatch	4.7%
Bonding	0.71 N/mm
Wood species	Mixed wood

Tolerances

Density limit deviation	%	+1.3-0.0
Thickness tolerance	mm	± 0.2
Tolerance length and width	mm/m	± 2.0
Edge straightness tolerance	mm/m	≤ 5.0
Rectangularity tolerance	mm/m	± 1.5

Average material values

Density	kg/m ³	760
Bending strength	N/mm ²	29.1
Bending elasticity	N/mm ²	2800
Cross tensile strength	N/mm ²	0.55
Expansion thickness 24h	%	5.9

Storage tips

Store panels horizontal and in dry places